

Portée PR 20x20 SS G+Q	Largeur X de plancher repris par les poutres 20x20 SS							
	Seacbois /Hourdis Polystyrène				Hourdis Béton			
	12+5 Seacbois		15+5 Seacbois		12+4 béton		16+4 béton	
	150 + 150	250 + 150	150 + 150	250 + 150	150 + 150	250 + 150	150 + 150	250 + 150
3.10	6.00	6.00	6.00	5.90	6.00	5.70	6.00	5.35
3.20	6.00	6.00	6.00	5.90	6.00	5.70	6.00	5.35
3.30	6.00	6.00	6.00	5.90	6.00	5.70	6.00	5.35
3.40	6.00	6.00	6.00	5.90	6.00	5.70	6.00	5.35
3.50	6.00	6.00	6.00	5.90	6.00	5.70	6.00	5.40
3.60	6.00	6.00	6.00	5.90	6.00	5.70	6.00	5.35
3.70	6.00	6.00	6.00	5.95	6.00	5.75	6.00	5.40
3.80	6.00	6.00	6.00	5.90	6.00	5.70	6.00	5.35
3.90	6.00	6.00	6.00	5.90	6.00	5.70	6.00	5.35
4.00	6.00	6.00	6.00	5.95	6.00	5.75	6.00	5.40
4.10	6.00	6.00	6.00	5.95	6.00	5.75	6.00	5.40
4.20	6.00	6.00	6.00	5.95	6.00	5.75	6.00	5.40
4.30	6.00	6.00	6.00	5.95	6.00	5.75	6.00	5.40
4.40	6.00	6.00	6.00	5.95	6.00	5.75	6.00	5.40
4.50	6.00	6.00	6.00	6.00	6.00	5.70	6.00	5.45
4.60	6.00	5.90	6.00	6.00	6.00	5.45	6.00	5.45
4.70	6.00	5.65	6.00	6.00	6.00	5.20	6.00	5.45
4.80	6.00	5.40	6.00	6.00	5.90	4.95	6.00	5.45
4.90	6.00	5.15	6.00	6.00	5.65	4.75	6.00	5.45
5.00	5.95	4.90	6.00	5.95	5.40	4.55	6.00	5.40
5.10	5.70	4.70	6.00	5.70	5.15	4.35	6.00	5.20
5.20	5.45	4.50	6.00	5.50	4.95	4.15	5.85	4.95
5.30	5.25	4.30	6.00	5.25	4.75	4.00	5.60	4.75
5.40	5.00	4.15	6.00	5.05	4.55	3.80	5.40	4.60
5.50	4.80	4.00	5.80	4.85	4.35	3.65	5.20	4.40
5.60	4.65	3.80	5.60	4.65	4.20	3.50	5.00	4.20
5.70	4.45	3.65	5.35	4.45	4.05	3.35	4.80	4.05
5.80	4.25	3.50	5.15	4.30	3.85	3.25	4.60	3.90
5.90	4.10	3.40	4.95	4.15	3.70	3.10	4.45	3.75
6.00	3.95	3.25	4.80	4.00	3.60	3.00	4.25	3.60

X = Sommes des portées des planchers de part et d'autre de la poutre divisée par 2 = (L1+L2)/2